

						Top Overall Tolerant	Top Cold Tolerant	Top Drought Tolerant	Top Heat Tolerant
New Introdu	Species name (s)	Continent	Water Ave Score	Heat Ave Score	Cold Ave Score	Overall Score	Scoring Weighted based on: cold>heat>water (ie. cold hardy and heat tolerant but may need water to cool)	Scoring Weighted based on: water>heat>cold (drought tolerant under hot conditions)	heat>water>cold (heat tolerant but may need water to thrive in summer and may not tolerate cold)
	<i>Olneya tesota</i>	North America	3.00	3.00	3.00	9.00	10.50	10.50	12.00
	<i>Acacia aneura</i>	Australia	2.00	2.83	2.83	7.67	9.50	8.25	10.50
Y New to UA	<i>Acacia ramulosa</i>	Australia	3.00	3.00	1.50	7.50	7.50	9.75	10.50
	<i>Prosopis velutina</i>	North America	3.00	2.33	1.67	7.00	7.17	9.17	9.33
Y New to UA	<i>Acacia demissa</i>	Australia	3.00	3.00	1.00	7.00	6.50	9.50	10.00
	<i>Acacia papyrocarpa</i>	Australia	3.00	2.50	1.50	7.00	7.00	9.25	9.50
	<i>Pistacia x 'Red Push'</i>	Europe/Asia	3.00	2.50	1.50	7.00	7.00	9.25	9.50
	<i>Vachellia constricta</i>	North America	3.00	2.00	1.67	6.67	6.83	8.83	8.67
Y New to UA	<i>Acacia kempeana</i>	Australia	2.25	2.75	1.50	6.50	6.88	8.00	9.25
	<i>Caesalpinia paraguariensis</i> (<i>Libidia paraquarensis</i>)	South America	1.50	2.50	2.50	6.50	8.25	6.75	9.00
	<i>Larrea tridentata</i>	North America	3.00	1.67	1.67	6.33	6.50	8.50	8.00
	<i>Acacia cana</i>	Australia	2.33	2.67	1.33	6.33	6.50	8.00	9.00
	<i>Lycium fremontii</i>	North America	3.00	2.67	0.67	6.33	5.50	9.00	9.00
	<i>Prosopis pubescens</i> now <i>Strombocarpa pubescens</i>	North America	3.00	2.67	0.67	6.33	5.50	9.00	9.00
	<i>Acacia salicina</i>	South America	3.00	2.75	0.50	6.25	5.25	9.00	9.00
	<i>Koeberlinia spinosa</i>	North America	2.50	2.00	1.75	6.25	6.75	7.88	8.25
	<i>Mariosousa heterophylla</i> (<i>Acacia willardiana</i>)	North America	3.00	2.00	1.25	6.25	6.00	8.63	8.25
	<i>Parkinsonia microphylla</i>	North America	2.50	2.50	1.25	6.25	6.25	8.13	8.75
	<i>Acacia cambagei</i>	Australia	1.83	2.67	1.67	6.17	6.92	7.17	8.83
	<i>Bursera microphylla</i>	North America	2.33	3.00	0.67	6.00	5.50	8.00	9.00
	<i>Parkinsonia florida</i>	North America	3.00	2.33	0.67	6.00	5.17	8.67	8.33
Y New to UA	<i>Acer monspessulanum</i> subsp. <i>turcomanicum</i>	Europe/Asia	3.00	2.00	1.00	6.00	5.50	8.50	8.00
	<i>Eucalyptus camaldulensis</i>	Australia	1.67	3.00	1.33	6.00	6.50	7.00	9.00
	<i>Faidherbia albida</i>	Africa	3.00	3.00	0.00	6.00	4.50	9.00	9.00
	<i>Havardia mexicana</i>	North America	2.75	2.25	1.00	6.00	5.63	8.25	8.25
	<i>Schotia afra</i>	Africa	3.00	1.67	1.33	6.00	5.83	8.33	7.67
	<i>Sengalia greggii</i>	North America	0.00	3.00	3.00	6.00	9.00	4.50	9.00
Y New to UA	<i>Vachellia reficiens</i>	Africa	2.00	2.00	2.00	6.00	7.00	7.00	8.00
	<i>Pleradenophora bilocularis</i>	North America	2.50	3.00	0.25	5.75	4.75	8.13	8.75
Y New to UA	<i>Vachellia haematoxylon</i>	Africa	2.00	1.50	2.25	5.75	7.00	6.63	7.25
	<i>Abutilon incanum</i>	North America	2.00	2.33	1.33	5.67	6.00	7.00	8.00
	<i>Caesalpinia cacalaco</i>	North America	3.00	2.00	0.67	5.67	4.83	8.33	7.67
	<i>Eucalyptus salmonophylla</i>	Australia	2.33	3.00	0.33	5.67	4.83	7.83	8.67
	<i>Senegalia occidentalis</i>	North America	2.33	2.33	1.00	5.67	5.50	7.50	8.00
	<i>Vachellia erioloba</i>	Africa	2.33	1.67	1.67	5.67	6.17	7.17	7.33
	<i>Vauquelinia californica</i>	North America	2.33	1.67	1.67	5.67	6.17	7.17	7.33
	<i>Cordia sonoreae</i>	North America	1.33	1.33	3.00	5.67	8.00	5.50	7.00
	<i>Prosopis chilensis</i>	South America	2.00	1.80	1.80	5.60	6.40	6.70	7.40
	<i>Acacia harpophylla</i>	Australia	1.75	2.75	1.00	5.50	5.63	6.75	8.25
Y New to UA	<i>Acacia pachyacra</i>	Australia	2.00	3.00	0.50	5.50	5.00	7.25	8.50
	<i>Acacia stenophylla</i>	Australia	1.25	3.00	1.25	5.50	6.13	6.13	8.50
	<i>Acacia tetragonophylla</i>	Australia	2.00	3.00	0.50	5.50	5.00	7.25	8.50
Y New to UA	<i>Eucalyptus diptera</i>	Australia	2.00	3.00	0.50	5.50	5.00	7.25	8.50
Y New to UA	<i>Pinus edulis</i>	North America	1.50	1.00	3.00	5.50	7.75	5.50	6.50
	<i>Prosopis alba</i>	South America	1.80	2.20	1.40	5.40	5.90	6.50	7.60
	<i>Bulnesia retama</i>	South America	2.33	1.33	1.67	5.33	5.83	6.83	6.67
	<i>Acacia brachystachya</i>	Australia	1.33	2.67	1.33	5.33	6.00	6.00	8.00
	<i>Acacia craspedocarpa</i>	Australia	1.33	3.00	1.00	5.33	5.67	6.17	8.33
	<i>Eucalyptus victrix</i>	Australia	2.00	3.00	0.33	5.33	4.67	7.17	8.33
	<i>Acacia coriacea</i>	Australia	1.50	3.00	0.75	5.25	5.25	6.38	8.25
	<i>Acacia jennerae</i>	Australia	2.00	3.00	0.25	5.25	4.50	7.13	8.25
	<i>Fraxinus velutina</i>	North America	2.00	2.00	1.25	5.25	5.50	6.63	7.25
Y New to UA	<i>Acacia citrinoviridis</i>	Australia	2.00	3.00	0.00	5.00	4.00	7.00	8.00
Y New to UA	<i>Acacia cyperophylla</i>	Australia	1.50	3.00	0.50	5.00	4.75	6.25	8.00
Y New to UA	<i>Acacia grasbyi</i>	Australia	2.00	3.00	0.00	5.00	4.00	7.00	8.00
Y New to UA	<i>Acacia ligulata</i>	Australia	1.50	3.00	0.50	5.00	4.75	6.25	8.00
Y New to UA	<i>Acacia murrayana</i>	Australia	1.00	3.00	1.00	5.00	5.50	5.50	8.00
	<i>Acacia pruinocarpa</i>	Australia	1.50	3.00	0.50	5.00	4.75	6.25	8.00
Y New to UA	<i>Acacia rhodophloia</i>	Australia	1.50	3.00	0.50	5.00	4.75	6.25	8.00
	<i>Acacia victoriae</i>	Australia	1.50	3.00	0.50	5.00	4.75	6.25	8.00
	<i>Boswellia sacra</i>	Middle East	3.00	2.00	0.00	5.00	3.50	8.00	7.00

Y New to UA	<i>Brachychiton gregorii</i>	Australia	1.67	3.00	0.33	5.00	4.50	6.50	8.00
	<i>Brachychiton populneus</i>	Australia	1.33	3.00	0.67	5.00	5.00	6.00	8.00
	<i>Coursetia glandulosa</i>	North America	2.00	3.00	0.00	5.00	4.00	7.00	8.00
	<i>Eucalyptus torquata</i>	Australia	1.25	3.00	0.75	5.00	5.13	5.88	8.00
Y New to UA	<i>Eucalyptus websteriana</i>	Australia	2.00	3.00	0.00	5.00	4.00	7.00	8.00
Y New to UA	<i>Eucalyptus woodwardii</i>	Australia	1.00	3.00	1.00	5.00	5.50	5.50	8.00
	<i>Lysiloma watsonii</i>	North America	1.33	2.67	1.00	5.00	5.33	5.83	7.67
	<i>Mimosa distachya</i>	North America	2.00	3.00	0.00	5.00	4.00	7.00	8.00
	<i>Platanus wrightii</i>	North America	2.33	1.00	1.67	5.00	5.50	6.50	6.00
	<i>Populus brandegeei</i>	North America	1.50	2.50	1.00	5.00	5.25	6.00	7.50
	<i>Prosopis cineraria</i>	Middle East	2.00	3.00	0.00	5.00	4.00	7.00	8.00
	<i>Vachellia schaffneri</i>	North America	2.33	1.00	1.67	5.00	5.50	6.50	6.00
	<i>Chilopsis linearis</i>	North America	2.25	1.50	1.00	4.75	4.63	6.50	6.25
	<i>Senegalia mellifera</i>	Africa	1.75	1.50	1.50	4.75	5.38	5.75	6.25
	<i>Cupressus arizonica</i>	North America	1.67	1.67	1.33	4.67	5.17	5.67	6.33
	<i>Fraxinus greggii</i>	North America	1.67	1.33	1.67	4.67	5.50	5.50	6.00
	<i>Bauhinia carronii</i>	Australia	1.33	3.00	0.33	4.67	4.33	5.83	7.67
	<i>Piscidia mollis</i>	North America	1.67	2.67	0.33	4.67	4.17	6.17	7.33
Y New to UA	<i>Acacia georginae</i>	Australia	1.00	2.50	1.00	4.50	5.00	5.00	7.00
	<i>Fouquieria macdougalii</i>	North America	1.50	3.00	0.00	4.50	3.75	6.00	7.50
Y New to UA	<i>Sideroxylon occidentale</i>	North America	1.50	3.00	0.00	4.50	3.75	6.00	7.50
Y New to UA	<i>Acacia inaequilatera</i>	Australia	1.33	3.00	0.00	4.33	3.67	5.67	7.33
	<i>Acacia saligna</i>	Australia	1.33	2.67	0.33	4.33	4.00	5.50	7.00
Y New to UA	<i>Eucalyptus sargentii</i>	Australia	1.00	3.00	0.33	4.33	4.17	5.17	7.33
	<i>Eucalyptus spathulata</i>	Australia	0.67	3.00	0.67	4.33	4.67	4.67	7.33
Y New to UA	<i>Maytenus viscifolia</i>	South America	1.67	1.33	1.33	4.33	4.83	5.33	5.67
	<i>Parkinsonia praecox</i>	North America	0.67	2.00	1.67	4.33	5.67	4.17	6.33
Y New to UA	<i>Lycium tenuispinosum</i>	South America	1.75	1.50	1.00	4.25	4.38	5.50	5.75
Y New to UA	<i>Senegalia roemeriana</i>	North America	1.00	1.50	1.75	4.25	5.50	4.38	5.75
	<i>Vachellia aroma</i>	South America	1.25	1.50	1.50	4.25	5.13	4.75	5.75
	<i>Havardia pallens</i>	North America	1.00	2.20	1.00	4.20	4.70	4.70	6.40
Y New to UA	<i>Acacia hamersleyensis</i>	Australia	1.00	3.00	0.00	4.00	3.50	5.00	7.00
Y New to UA	<i>Acacia ixodes</i>	Australia	0.00	2.50	1.50	4.00	5.50	3.25	6.50
Y New to UA	<i>Acacia xiphophylla</i>	Australia	2.00	2.00	0.00	4.00	3.00	6.00	6.00
Y New to UA	<i>Albizia anthelmintica</i>	Africa	1.75	1.50	0.75	4.00	3.88	5.38	5.50
	<i>Brachychiton rupestris</i>	Australia	0.00	2.67	1.33	4.00	5.33	3.33	6.67
	<i>Callistemon citrinus</i>	Australia	0.33	2.00	1.67	4.00	5.50	3.50	6.00
	<i>Cercis canadensis</i>	North America	1.33	1.67	1.00	4.00	4.33	4.83	5.67
Y New to UA	<i>Eucalyptus salubris</i>	Australia	1.00	3.00	0.00	4.00	3.50	5.00	7.00
	<i>Guaiacum angustifolium</i>	North America	0.50	2.00	1.50	4.00	5.25	3.75	6.00
	<i>Jatropha cordata</i>	North America	1.33	2.67	0.00	4.00	3.33	5.33	6.67
Y New to UA	<i>Lonchocarpus hermannii</i>	North America	1.50	2.50	0.00	4.00	3.25	5.50	6.50
	<i>Populus mexicana</i>	North America	1.33	2.33	0.33	4.00	3.67	5.17	6.33
Y New to UA	<i>Strombocarpa torquata</i>	South America	1.33	1.33	1.33	4.00	4.67	4.67	5.33
	<i>Vachellia rigidula</i>	North America	1.00	2.00	1.00	4.00	4.50	4.50	6.00
	<i>Zapoteca formosa</i>	North America	2.00	1.33	0.67	4.00	3.67	5.67	5.33
	<i>Larrea divaricata</i>	South America	1.40	1.20	1.20	3.80	4.30	4.60	5.00
	<i>Maytenus phyllanthoides</i>	North America	1.00	2.00	0.75	3.75	4.00	4.38	5.75
Y New to UA	<i>Schinopsis lorentzii</i>	South America	0.75	1.50	1.50	3.75	4.88	3.75	5.25
	<i>Senegalia wrightii</i>	North America	0.75	2.00	1.00	3.75	4.38	4.00	5.75
	<i>Vallesia glabra</i>	North America	1.50	1.75	0.50	3.75	3.50	5.00	5.50
Y New to UA	<i>Acacia adsurgens</i>	Australia	0.33	3.00	0.33	3.67	3.83	3.83	6.67
	<i>Eysenhardtia orthocarpa</i>	North America	1.00	1.67	1.00	3.67	4.17	4.17	5.33
Y New to UA	<i>Brachychiton australis</i>	Australia	0.33	2.67	0.67	3.67	4.17	3.67	6.33
	<i>Celtis pallida</i>	North America	1.33	2.00	0.33	3.67	3.33	4.83	5.67
	<i>Larrea cuneifolia</i>	South America	1.67	1.33	0.67	3.67	3.50	5.00	5.00
Y New to UA	<i>Acacia excelsa</i>	Australia	0.50	2.50	0.50	3.50	3.75	3.75	6.00
	<i>Acacia sclerosperma</i>	Australia	0.50	3.00	0.00	3.50	3.25	4.00	6.50
	<i>Bauhinia lunarioides</i>	North America	0.75	2.00	0.75	3.50	3.88	3.88	5.50
	<i>Coccoloba goldmanii</i>	North America	2.00	1.50	0.00	3.50	2.50	5.50	5.00
Y New to UA	<i>Condalia montana</i>	South America	0.50	1.50	1.50	3.50	4.75	3.25	5.00
	<i>Erythrostemon palmeri</i>	North America	1.50	1.50	0.50	3.50	3.25	4.75	5.00
	<i>Parkinsonia africana</i>	Africa	2.00	1.50	0.00	3.50	2.50	5.50	5.00
	<i>Pinus brutia</i>	Europe/Asia	0.50	0.75	2.25	3.50	5.50	2.88	4.25
	<i>Prosopis palmeri</i>	North America	3.00	0.50	0.00	3.50	2.00	6.50	4.00
Y New to UA	<i>Acacia cowleana</i>	Australia	0.33	3.00	0.00	3.33	3.17	3.67	6.33
	<i>Acacia farnesiana</i>	North America	1.33	1.67	0.33	3.33	3.00	4.50	5.00
Y New to UA	<i>Acacia monticola</i>	Australia	0.33	2.67	0.33	3.33	3.50	3.50	6.00

	<i>Albizia sinaloensis</i>	North America	1.33	1.67	0.33	3.33	3.00	4.50	5.00
	<i>Cotinus coggygria</i>	Europe/Asia	0.33	0.67	2.33	3.33	5.50	2.50	4.00
	<i>Ebenopsis ebano</i>	North America	1.00	2.33	0.00	3.33	2.83	4.33	5.67
Y New to UA Main Campus	<i>Acacia notabilis</i>	Australia	0.67	2.67	0.00	3.33	3.00	4.00	6.00
Y New to UA	<i>Lithraea molleoides</i>	South America	0.67	1.33	1.33	3.33	4.33	3.33	4.67
	<i>Vachellia tortilis</i>	Africa	1.33	1.00	1.00	3.33	3.67	4.17	4.33
	<i>Bauhinia macranthera</i>	Africa	0.75	1.50	1.00	3.25	3.88	3.50	4.75
	<i>Sapindus saponaria</i>	North America	1.25	1.50	0.50	3.25	3.13	4.25	4.75
	<i>Acacia retinoides</i>	Australia	0.40	1.80	1.00	3.20	4.00	3.10	5.00
	<i>Senegalia visco</i>	South America	1.00	1.00	1.17	3.17	3.83	3.58	4.17
	<i>Acacia pendula</i>	Australia	0.33	2.00	0.67	3.00	3.50	3.00	5.00
Y New to UA	<i>Aspidosperma quebracho-blanco</i>	South America	0.60	1.40	1.00	3.00	3.70	3.10	4.40
	<i>Brongniartia alamosana</i>	North America	1.00	2.00	0.00	3.00	2.50	4.00	5.00
	<i>Bursera laxiflora</i>	North America	1.00	2.00	0.00	3.00	2.50	4.00	5.00
	<i>Cedrus atlantica</i>	Europe/Asia	0.25	0.75	2.00	3.00	4.88	2.25	3.75
	<i>Cupressus sempervirens</i>	Europe/Asia	0.33	0.67	2.00	3.00	4.83	2.33	3.67
Y New to UA	<i>Porlieria microphylla</i> (<i>Guaicum microphyllum</i>)	North America	0.33	1.67	1.00	3.00	3.83	2.83	4.67
Y New to UA	<i>Salix humboldtiana</i>	South America	1.00	1.00	1.00	3.00	3.50	3.50	4.00
Y New to UA	<i>Peltophorum africanum</i>	Africa	1.33	1.00	0.67	3.00	3.00	4.00	4.00
	<i>Condalia globosa</i>	North America	1.00	1.75	0.00	2.75	2.25	3.75	4.50
	<i>Cordia boissieri</i>	North America	1.00	1.75	0.00	2.75	2.25	3.75	4.50
Y New to UA	<i>Juglans australis</i>	South America	1.00	1.00	0.67	2.67	2.83	3.33	3.67
Y New to UA	<i>Celtis tala</i>	South America	0.00	1.40	1.20	2.60	3.80	2.00	4.00
	<i>Acacia karoo</i>	Africa	0.75	0.75	1.00	2.50	3.13	2.75	3.25
	<i>Fouquieria burragei</i>	North America	1.50	1.00	0.00	2.50	1.75	4.00	3.50
Y New to UA	<i>Sarcophthalus mistol</i>	South America	0.40	1.40	0.60	2.40	2.80	2.50	3.80
Y New to UA	<i>Acacia pyrifolia</i>	Australia	0.00	2.33	0.00	2.33	2.33	2.33	4.67
Y New to UA	<i>Erythrina crista-galli</i>	South America	0.00	2.00	0.33	2.33	2.67	2.17	4.33
Y New to UA	<i>Myrcianthes cisplatensis</i>	South America	0.33	1.00	1.00	2.33	3.17	2.17	3.33
	<i>Senegalia crassifolia</i>	North America	1.50	0.50	0.25	2.25	1.75	3.63	2.75
	<i>Laurus nobilis</i>	Europe/Asia	0.80	1.00	0.40	2.20	2.20	2.80	3.20
Y New to UA	<i>Ceiba chodatii</i>	South America	0.40	1.00	0.60	2.00	2.40	2.10	3.00
	<i>Havardia sonorae</i>	North America	0.50	1.50	0.00	2.00	1.75	2.50	3.50
	<i>Mimosa palmeri</i>	North America	0.50	1.50	0.00	2.00	1.75	2.50	3.50
Y New to UA	<i>Ocotea porphyria</i>	South America	0.33	1.00	0.67	2.00	2.50	2.00	3.00
	<i>Prosopis nigra</i>	South America	0.00	1.25	0.75	2.00	2.75	1.63	3.25
	<i>Senegalia coffra</i>	Africa	0.75	1.00	0.25	2.00	1.88	2.63	3.00
	<i>Senna costata</i>	Australia	0.00	2.00	0.00	2.00	2.00	2.00	4.00
	<i>Acacia bailyana</i>	Australia	0.75	0.38	0.63	1.75	2.00	2.19	2.13
Y New to UA	<i>Albizia harveyi</i> (AKA <i>Feuillea hypoleuca</i>)	Africa	0.67	1.00	0.00	1.67	1.33	2.33	2.67
	<i>Diphysa occidentalis</i>	North America	0.67	1.00	0.00	1.67	1.33	2.33	2.67
Y New to UA	<i>Tabebuia nodosa</i>	South America	0.67	1.00	0.00	1.67	1.33	2.33	2.67
Y New to UA	<i>Xanthocercis zambesiaca</i>	Africa	0.33	1.33	0.00	1.67	1.50	2.00	3.00
	<i>Fouquieria purpusii</i>	North America	1.50	0.00	0.00	1.50	0.75	3.00	1.50
	<i>Myrospermum sousanum</i>	North America	0.00	1.50	0.00	1.50	1.50	1.50	3.00
	<i>Parkinsonia aculeata</i>	North America	0.00	1.00	0.50	1.50	2.00	1.25	2.50
	<i>Erythrina bidwillii</i>	Australia	0.00	1.00	0.33	1.33	1.67	1.17	2.33
	<i>Prosopis laevigata</i>	North America	1.00	0.33	0.00	1.33	0.83	2.33	1.67
	<i>Senegalia berlandieri</i>	North America	0.00	1.33	0.00	1.33	1.33	1.33	2.67
Y New to UA	<i>Senegalia nigrescens</i>	Africa	0.33	1.00	0.00	1.33	1.17	1.67	2.33
	<i>Acacia gerrardii</i>	Africa	0.60	0.40	0.00	1.00	0.70	1.60	1.40
Y New to UA	<i>Vachellia eburnea</i>	Europe/Asia	0.00	1.00	0.00	1.00	1.00	1.00	2.00
	<i>Colophospermum mopane</i>	Africa	0.33	0.33	0.00	0.67	0.50	1.00	1.00
	<i>Pistacia lentiscus</i>	Europe/Asia	0.00	0.67	0.00	0.67	0.67	0.67	1.33
	<i>Albizia brevifolia</i>	Africa	0.00	0.50	0.00	0.50	0.50	0.50	1.00
Y New to UA	<i>Vachellia stuhlmannii</i>	Africa	0.50	0.00	0.00	0.50	0.25	1.00	0.50
	<i>Alluaudia procera</i>	Africa	0.00	0.33	0.00	0.33	0.33	0.33	0.67
	<i>Senegalia burkei</i>	Africa	0.00	0.33	0.00	0.33	0.33	0.33	0.67
	<i>Fouquieria formosa</i>	North America	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Y New to UA	<i>Senegalia galpinii</i>	Africa	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Average Sample # n= 3.156

Mustard (NA/SA) = North America
Yellow (NA/SA) = South America
Blue (AU) = Australia
Red (AF) = Africa
Green (EU/AS) = Europe and Asia

48.88888889	120	3	3	4.905299	117	3	3
47.77777778	118	3	3	3.927008	100	3	3
47.22222222	117	3	3	3.927008	100	3	3
			3				
43.22222222	108	2	2	35.19685	894	0	0
47.3	117.14	1	1	18.74014	476	1	1
43.88888889	111	2	2	24.40345	620	0	0
		1.606067				0.333333	

Heat Class Rating	New Introduction	Species name (s)	Continent	Heat Ave	Notes	Ave N = 3.2 for each species
	Y New to UA	<i>Acacia adsurgens</i>	Australia	3.00	Annual precipitation ranges from 300 to 700mm.	America
	Y New to UA	<i>Acacia citrinoviridis</i>	Australia	3.00		America
		<i>Acacia coriacea</i>	Australia	3.00	Campus Arboretum accession #24288 on North face of Visual Arts research studio. Installed prior to	Blue (AU) = Australia
	Y New to UA	<i>Acacia cogleana</i>	Australia	3.00		Red (AF)= Africa
		<i>Acacia craspedocarpa</i>	Australia	3.00	Acacia craspedocarpa is fully cold and heat tolerant in Tucson. This species is drought-tolerant when	Asia
	Y New to UA	<i>Acacia cyperophylla</i>	Australia	3.00		
	Y New to UA	<i>Acacia demissa</i>	Australia	3.00		
	Y New to UA	<i>Acacia grasbyi</i>	Australia	3.00		
	Y New to UA	<i>Acacia hamersleyensis</i>	Australia	3.00		
	Y New to UA	<i>Acacia inaequilatera</i>	Australia	3.00		
		<i>Acacia jennerae</i>	Australia	3.00		
	Y New to UA	<i>Acacia ligulata</i>	Australia	3.00		
	Y New to UA	<i>Acacia murrayana</i>	Australia	3.00	INaturalist observation correlated to nearest weather station #46126 where elevation is 290m and annual	
	Y New to UA	<i>Acacia pachyacra</i>	Australia	3.00	INaturalist observation correlated to nearest weather stations #18114 (Maralinga for precip data) or	
		<i>Acacia pruinocarpa</i>	Australia	3.00	INaturalist observation correlated to nearest weather station #15635 where elevation is 492m and annual	
	Y New to UA	<i>Acacia ramulosa</i>	Australia	3.00	INaturalist observation correlated to nearest weather station #16096 where elevation is 99m and annual	
	Y New to UA	<i>Acacia rhodophloia</i>	Australia	3.00	INaturalist observation correlated to nearest weather stations #007001 (Valoco) and 7064 (Muroco)	
		<i>Acacia sclerosperma</i>	Australia	3.00	INaturalist observation correlated to nearest weather station #6025 where elevation is 15m and annual	
		<i>Acacia stenophylla</i>	Australia	3.00		
		<i>Acacia tetragonophylla</i>	Australia	3.00	INaturalist observation correlated to nearest weather station #46043 at 74 elevation where annual	
		<i>Acacia victoriae</i>	Australia	3.00	INaturalist observation correlated to nearest weather station #5098 at 474 m where annual precipitation is	
		<i>Bauhinia carronii</i>	Australia	3.00		
	Y New to UA	<i>Brachychiton greggii</i>	Australia	3.00		
		<i>Brachychiton populneus</i>	Australia	3.00		
		<i>Bursera microphylla</i>	North America	3.00		
		<i>Coursetia glandulosa</i>	North America	3.00	INaturalist observation NE of Lost Dutchman State Park correlated to nearest weather station at Apache	
		<i>Eucalyptus camaldulensis</i>	Australia	3.00		
	Y New to UA	<i>Eucalyptus diptera</i>	Australia	3.00		
		<i>Eucalyptus salmonophylla</i>	Australia	3.00		
	Y New to UA	<i>Eucalyptus salubris</i>	Australia	3.00		
	Y New to UA	<i>Eucalyptus sargentii</i>	Australia	3.00		
		<i>Eucalyptus spathulata</i>	Australia	3.00		
		<i>Eucalyptus torquata</i>	Australia	3.00		
		<i>Eucalyptus victrix</i>	Australia	3.00	INaturalist observation in Kunjarina, WA correlated to nearest weather station #7080 at 520m where	
	Y New to UA	<i>Eucalyptus websteriana</i>	Australia	3.00		
	Y New to UA	<i>Eucalyptus woodwardii</i>	Australia	3.00		
		<i>Faidherbia albida</i>	Africa	3.00		
		<i>Fouquieria macdougalii</i>	North America	3.00	INaturalist observation in Mexican (planted in 2023 in cultivation with irrigation) to nearest weather	
		<i>Mimosa distachya</i>	North America	3.00		
		<i>Olneya tesota</i>	North America	3.00		
		<i>Pleradenophora bilocularis</i>	North America	3.00		
		<i>Prosopis cineraria</i>	Middle East	3.00		
		<i>Senegalia greggii</i>	North America	3.00		
	Y New to UA	<i>Sideroxylon occidentale</i>	North America	3.00		
		<i>Acacia aneura</i>	Australia	2.83	Acacia aneura is fully heat tolerant in Tucson. It occurs in areas of Australia that average as little as	
		<i>Acacia harpophylla</i>	Australia	2.75	Acacia harpophylla appears to be cold and heat tolerant in Tucson. The single established plant	
		<i>Acacia kempeana</i>	Australia	2.75	hardy to ca. 18 F. Large, spreading, evergreen, multiple-stemmed shrubs or small trees with dark	
		<i>Acacia salicina</i>	South America	2.75		
		<i>Acacia brachystachya</i>	Australia	2.67	Acacia brachystachya is fully cold and heat hardy in cultivation in Tucson. It is drought resistant once	
		<i>Acacia cambagei</i>	Australia	2.67	Acacia cambagei is a beautiful tree that appears to be fully cold and heat tolerant in Tucson. Established	
		<i>Acacia cana</i>	Australia	2.67	Acacia cana is fully cold and heat tolerant in Tucson. It is drought tolerant when established. It has a	
	Y New to UA	<i>Acacia monticola</i>	Australia	2.67	INaturalist observation correlated to nearest weather station #2023 where elevation is 380m and annual	
	(at B2)	<i>Acacia notabilis</i>	Australia	2.67		
		<i>Acacia saligna</i>	Australia	2.67		
	Y New to UA	<i>Brachychiton australis</i>	Australia	2.67		
		<i>Brachychiton rupestris</i>	Australia	2.67		
		<i>Jatropha cordata</i>	North America	2.67	INaturalist observation from Feb. 2025 correlated to weather station data for Ciudad Obregon at	
		<i>Lycium fremontii</i>	North America	2.67	INaturalist observation correlated to weather station data through weatherspark.com for Alamos, MX	
		<i>Lysiloma watsonii</i>	North America	2.67		
		<i>Piscidia mollis</i>	North America	2.67		
		<i>Strombocarpa pubescens</i>	North America	2.67		
	Y New to UA	<i>Acacia excelsa</i>	Australia	2.50		
	Y New to UA	<i>Acacia georginae</i>	Australia	2.50		
	Y New to UA	<i>Acacia ixodes</i>	Australia	2.50		
		<i>Acacia papyrocarpa</i>	Australia	2.50		
		<i>(Libidia paraquarensis)</i>	South America	2.50	hardy to ca. 15 F. Small, patio-sized desert trees with slender rhulodes and attractive, open form. Long-	
	Y New to UA	<i>Lonchocarpus hermannii</i>	North America	2.50	Survived three days below freezing with lowest temp being 17F in Winter 2011. Seems effortless (while on	
		<i>Parkinsonia microphylla</i>	North America	2.50		

		<i>Pistacia x 'Red Push'</i>	Europe/Asia	2.50	
		<i>Populus brandegeei</i>	North America	2.50	
		<i>Abutilon incanum</i>	North America	2.33	inaturalist observation correlated to nearest weather station data (General Ignacio Pesqueira Garcia)
	Y New to UA	<i>Acacia pyrifolia</i>	Australia	2.33	inaturalist observation correlated to nearest weather station #7176 where elevation is 524m and annual
		<i>Ebenopsis ebano</i>	North America	2.33	inaturalist observation at Monterrey correlated to nearest weather station (General Mariano Escobedo)
		<i>Parkinsonia florida</i>	North America	2.33	
		<i>Populus mexicana</i>	North America	2.33	Campus Arboretum grounds on protected north face of Social Sciences where little damage was
		<i>Prosopis velutina</i>	North America	2.33	hardy to ca. 5 F. Beautiful, long-lived, deciduous, local Sonoran Desert native trees. Widely grown
		<i>Senegalia occidentalis</i>	North America	2.33	hardy to ca. 15 F. Potentially large, spreading tree to 50 ft across and 30 ft high with a trunk to 5 ft in
		<i>Havardia mexicana</i>	North America	2.25	
		<i>Havardia pallens</i>	North America	2.20	hardy to at least 15 F. Outstanding, fast growing, semi-evergreen or deciduous small or medium trees
		<i>Prosopis alba</i>	South America	2.20	My tree is a volunteer from a neighbor. Fast growing, great shade, scary/dangerous thorns that should be
		<i>Acacia pendula</i>	Australia	2.00	
	Y New to UA	<i>Acacia xiphophylla</i>	Australia	2.00	inaturalist observation correlated to nearest weather station #5098 at 474m where annual precipitation is
	Y New to UA	<i>subsp. turcomanicum</i>	Europe/Asia	2.00	
		<i>Bauhinia lunarioides</i>	North America	2.00	inaturalist observation in Castanos, Coah. Mexico correlated to nearest weather station (Nannustiano)
		<i>Boswellia sacra</i>	Middle East	2.00	
		<i>Brongniartia alamosana</i>	North America	2.00	inaturalist observation in Bocoto Sonora MX correlated to nearest weather station (Ciudad-
		<i>Bursera laxiflora</i>	North America	2.00	inaturalist observation in Estacion, Son., MX correlated to nearest weather station (Ciudad-
		<i>Caesalpinia cacalaco</i>	North America	2.00	
		<i>Callistemon citrinus</i>	Australia	2.00	
		<i>Celtis pallida</i>	North America	2.00	inaturalist observation in Balmorea State Park correlated to nearest weather station in El Paso
		<i>Erythrina bidwillii</i>	Australia	2.00	
		<i>Fraxinus velutina</i>	North America	2.00	
		<i>Guaiacum angustifolium</i>	North America	2.00	
		<i>Koeberlinia spinosa</i>	North America	2.00	
		<i>(Acacia willardiana)</i>	North America	2.00	University of Arizona Campus Arboretum. Severe freeze and die back on many clones in winter 2011
		<i>Maytenus phyllanthoides</i>	North America	2.00	University of Arizona Campus Arboretum. trees survived severe freeze with some die back resolved
		<i>Parkinsonia praecox</i>	North America	2.00	hardy to ca. 10 F. Beautiful, durable native tree. Far superior to P. florida as a landscape tree, per Matt
		<i>Senegalia wrightii</i>	North America	2.00	Large tree despite being surrounded by imperious movement. Near Road reflecting heat making the Air
		<i>Senna costata</i>	Australia	2.00	inaturalist observation at Fitzroy Crossing correlated to nearest weather station at #3093 and 2043 where
		<i>Vachellia constricta</i>	North America	2.00	hardy to ca. -10 F. Local, Sonoran Desert and Chihuahuan Desert native deciduous shrubs or trees
	Y New to UA	<i>Vachellia reficiens</i>	Africa	2.00	hardy to at least 15 F. Tough, vase-shaped tree. Stems with sharp paired, prickly-like spines at
		<i>Vachellia rigidula</i>	North America	2.00	hardy to ca. 10 F. Beautiful, multiple-stemmed, semi-evergreen shrubs or small trees with contrasting
		<i>Acacia retinoides</i>	Australia	1.80	
		<i>Prosopis chilensis</i>	South America	1.80	Great desert landscape tree, beautiful form, good shade, edible seeds. Slow growth first 5 years
		<i>Acacia farnesiana</i>	North America	1.77	
		<i>Condalia globosa</i>	North America	1.75	inaturalist observation at Yuma Proving Ground correlated to nearest weather station (Imperial)
		<i>Cordia boissieri</i>	North America	1.75	
		<i>Vallesia glabra</i>	North America	1.75	hardy to ca. 25 F. Multiple-stemmed shrubs or rarely small trees with very fragrant flowers. Toxic foliage
		<i>Albizia sinaloensis</i>	North America	1.67	Very large stature tree at the main public library building at Scottsdale Civic Center
		<i>Cercis canadensis</i>	North America	1.67	
		<i>Cupressus arizonica</i>	North America	1.67	Arizona Cypress shows clear signs of heat stress and decline in the extreme heat of the 2020's
		<i>Eysenhardtia orthocarpa</i>	North America	1.67	
		<i>Larrea tridentata</i>	North America	1.67	
	Y New to UA	<i>(Guaiacum microphyllum)</i>	North America	1.67	
		<i>Schotia afra</i>	Africa	1.67	hardy to ca. 15 F. Unique, beautiful, tough evergreen trees from very arid habitats in the Kalahari Desert of
		<i>Vachellia erioloba</i>	Africa	1.67	hardy to ca. 15 F. Spectacular tree. Some plants in the Kalahari Desert have a spread of 100 ft and a
		<i>Vauquelinia californica</i>	North America	1.67	
	Y New to UA	<i>Albizia anthelmintica</i>	Africa	1.50	trees at DELEPS Yuma Fields suffered significant damage at 22F in 2007. These are low branching and
		<i>Bauhinia macranthera</i>	Africa	1.50	
		<i>Chilopsis linearis</i>	North America	1.50	
		<i>Coccoloba goldmanii</i>	North America	1.50	inaturalist observation correlated to nearest weather station in (Los Mochas International Airport) where
	Y New to UA	<i>Condalia montana</i>	South America	1.50	
		<i>Erythrostemon palmeri</i>	North America	1.50	hardy to ca. 18 F. Open, generally upright, deciduous shrubs or small trees with attractive yellow and red
		<i>Havardia sonorae</i>	North America	1.50	hardy to ca. 20 F. Beautiful small tree with showy flower heads but has wicked sharp paired spines at
	Y New to UA	<i>Lycium tenuispinosum</i>	South America	1.50	
		<i>Mimosa palmeri</i>	North America	1.50	inaturalist observation correlated to weather station data through weatherspark.com for Ajo, AZ where
		<i>Myrospermum sousanum</i>	North America	1.50	
		<i>Parkinsonia africana</i>	Africa	1.50	
		<i>Sapindus saponaria</i>	North America	1.50	
	Y New to UA	<i>Schinopsis lorentzii</i>	South America	1.50	
		<i>Senegalia mellifera</i>	Africa	1.50	mellifera (subsp. detimens) - hardy to ca. 15 F. Tough, xeric, thick-leaved shrub or small tree
	Y New to UA	<i>Senegalia roemeriana</i>	North America	1.50	hardy to ca. -10 F. Hardy, deciduous shrubs or small trees with showy flower heads. Native to Texas. New
		<i>Vachellia aroma</i>	South America	1.50	
	Y New to UA	<i>Vachellia haematoxylon</i>	Africa	1.50	hardy to ca. 15 F. Tough, slow growing, xeric shrubs or small trees with pale green foliage. Native to the
	Y New to UA	<i>blanco</i>	South America	1.40	hardy to at least 18 F. Distinctive, small to large, upright trees with evergreen crown of leathery, spine-
	Y New to UA	<i>Celtis tala</i>	South America	1.40	
	Y New to UA	<i>Sarcophilus mistol</i>	South America	1.40	

	<i>Bulnesia retama</i>	South America	1.33	hardy to ca. 15 F. Very tough desert trees resembling palo verde. Grows in areas of the Monte Desert of
	<i>Cordia sonorae</i>	North America	1.33	in Naturalist observation near Bacanuchi, Mexico (elevation 2300 ft) correlated to the nearest weather
	<i>Fraxinus greggii</i>	North America	1.33	
	<i>Larrea cuneifolia</i>	South America	1.33	
Y New to UA	<i>Lithraea molleoides</i>	South America	1.33	
Y New to UA	<i>Maytenus viscidifolia</i>	South America	1.33	
	<i>Senegalia berlandieri</i>	North America	1.33	
Y New to UA	<i>Stromboscarpa torquata</i>	South America	1.33	
Y New to UA	<i>Xanthocercis zambeiaca</i>	Africa	1.33	AAP 500-1500mm (most parts of the district receive less than 500mm)
	<i>Zapoteca formosa</i>	North America	1.33	
	<i>Prosopis nigra</i>	South America	1.25	
	<i>Larrea divaricata</i>	South America	1.20	
Y New to UA	<i>Feuillea hypoleuca</i>	Africa	1.00	
Y New to UA	<i>Ceiba chodatii</i>	South America	1.00	
	<i>Diphysa occidentalis</i>	North America	1.00	in Naturalist observation at Los Mochis, Mexico (correlated to nearest weather station (local airport))
Y New to UA	<i>Erythrina crista-galli</i>	South America	1.00	
	<i>Fouquieria burragei</i>	North America	1.00	in Naturalist observation correlated to nearest weather station (weatherspark.com) at Manuel Márquez de
Y New to UA	<i>Juglans australis</i>	South America	1.00	
	<i>Laurus nobilis</i>	Europe/Asia	1.00	
Y New to UA	<i>Myrcianthes cisplatensis</i>	South America	1.00	in Naturalist observation correlated to weather station data through weatherspark.com for Los Mochis
Y New to UA	<i>Ocotea porphyria</i>	South America	1.00	in Naturalist observation correlated to weather station data through weatherspark.com for Monterrey, MX
	<i>Parkinsonia aculeata</i>	North America	1.00	hardy to ca. 15 F. Wonderful, tough, very long-lived native tree with attractive flowers. This seems to
Y New to UA	<i>Peltophorum africanum</i>	Africa	1.00	hardy to ca. 18 F. Beautiful, worthwhile tree. Native from northern Sonora to central Argentina. per Matt
Y New to UA	<i>Pinus edulis</i>	North America	1.00	
	<i>Platanus wrightii</i>	North America	1.00	
Y New to UA	<i>Salix humboldtiana</i>	South America	1.00	
	<i>Senegalia caffra</i>	Africa	1.00	
Y New to UA	<i>Senegalia nigrescens</i>	Africa	1.00	
	<i>Senegalia visco</i>	South America	1.00	
Y New to UA	<i>Tabebuia nodosa</i>	South America	1.00	
Y New to UA	<i>Vachellia eburnea</i>	Europe/Asia	1.00	
	<i>Vachellia schaffneri</i>	North America	1.00	
	<i>Vachellia tortilis</i>	Africa	1.00	several subspecies - most are likely hardy to ca. 25 F. Stems can have both straight and hooked spines
	<i>Acacia karoo</i>	Africa	0.75	
	<i>Cedrus atlantica</i>	Europe/Asia	0.75	
	<i>Pinus brutia</i>	Europe/Asia	0.75	hardy to ca. 20 F. Evergreen (freeze-deciduous) large shrubs or small trees to 30 ft high and wide with
	<i>Cotinus coggygria</i>	Europe/Asia	0.67	
	<i>Cupressus sempervirens</i>	Europe/Asia	0.67	
	<i>Pistacia lentiscus</i>	Europe/Asia	0.67	University of Arizona Campus Arboretum specimen was damaged in 2011 winter temps of 17C but
	<i>Albizia brevifolia</i>	Africa	0.50	
	<i>Prosopis palmeri</i>	North America	0.50	
	<i>Senegalia crassifolia</i>	North America	0.50	
	<i>Acacia gerrardii</i>	Africa	0.40	
	<i>Acacia baileyana</i>	Australia	0.38	
	<i>Alluaudia procera</i>	Africa	0.33	
	<i>Colophospermum mopane</i>	Africa	0.33	
	<i>Prosopis laevigata</i>	North America	0.33	
	<i>Senegalia burkei</i>	Africa	0.33	
	<i>Fouquieria formosa</i>	North America	0.00	in Naturalist observation (Teotitlan del Valle at 5500ft elevation) correlated to nearest weather station /
	<i>Fouquieria purpusii</i>	North America	0.00	in Naturalist observation at Tenoscan Mexico (between distant weather stations in Puebla and Oaxaca de
Y New to UA	<i>Senegalia galpinii</i>	Africa	0.00	
Y New to UA	<i>Vachellia stuhlmannii</i>	Africa	0.00	

Cold Class Rating	New Introduction	Species name (s)	Continent	Cold Average Score	Notes	Ave N = 3.2 for each species
		<i>Cordia sonora</i>	North America	3.0	naturalist observation near Bacanuchi, Mexico (elevation 2300 ft) correlated to the nearest weather station to ca. 15 F. Wonderful, tough, very long-lived native tree with attractive flowers. This seems to hold	North America
		<i>Olneya tesota</i>	North America	3.0		South America
	Y New to UA	<i>Pinus edulis</i>	North America	3.0		Blue (AU) = Australia
		<i>Acacia aneura</i>	Australia	2.8	Acacia aneura is fully heat tolerant in Tucson. It occurs as a part of Australia that grows as little trees, 2	Red (AF)= Africa
		<i>paraguensis</i>	South America	2.5	Survived three days below freezing with lowest temp being 17F in Winter 2011. Seems effortless (while on	Europe and Asia
		<i>Cotinus coggygria</i>	Europe/Asia	2.3		
		<i>Pinus brutia</i>	Europe/Asia	2.3		
	Y New to UA	<i>haematoxylon</i>	Africa	2.3	hardy to ca. 15 F. Tough, slow growing, xeric shrubs or small trees with pale gray foliage. Native to the	
		<i>Cedrus atlantica</i>	Europe/Asia	2.0		
		<i>sempervirens</i>	Europe/Asia	2.0		
	Y New to UA	<i>Vachellia reficiens</i>	Africa	2.0	hardy to at least 18 F. Tough, vase-shaped tree. Stems with sharp paired prickles like cactus at nodes. For Great desert landscape tree, beautiful form, good shade, edible seeds. Slow growth first 5 years. Grows	
		<i>Prosopis chilensis</i>	South America	1.8		
		<i>Koebertia spinosa</i>	North America	1.8		
	Y New to UA	<i>Senegalia roemeriana</i>	North America	1.8	hardy to ca. -10 F. Hardy, deciduous shrubs or small trees with cream-colored bark. Native to Texas	
		<i>Acacia cambagei</i>	Australia	1.7	Acacia cambagei is a beautiful tree that appears to be fully cold and heat tolerant in Tucson. Established	
		<i>Bulnesia retama</i>	South America	1.7	hardy to ca. 15 F. Very tough desert trees resembling a palo verde. Grows in areas of the Monte Desert of	
		<i>Callistemon citrinus</i>	Australia	1.7		
		<i>Fraxinus greggii</i>	North America	1.7		
		<i>Larrea tridentata</i>	North America	1.7		
		<i>Parkinsonia praecox</i>	North America	1.7	hardy to ca. 18 F. Beautiful, worthwhile trees. Native from northern Sonora to central Argentina. per Matt	
		<i>Platanus wrightii</i>	North America	1.7		
		<i>Prosopis velutina</i>	North America	1.7	hardy to ca. 5 F. Beautiful, long-lived, deciduous, local Sonoran Desert native trees. Wide-branched	
		<i>Vachellia constricta</i>	North America	1.7	hardy to ca. -10 F. Local, Sonoran Desert and Chihuahuan Desert native deciduous shrubs or trees	
		<i>Vachellia erioloba</i>	Africa	1.7	hardy to ca. 15 F. Spectacular tree. Some plants in the Kalahari Desert have a spread of 100 ft and a height of	
		<i>Vachellia schaffneri</i>	North America	1.7		
		<i>californica</i>	North America	1.7		
	Y New to UA	<i>Acacia ikodes</i>	Australia	1.5		
		<i>Acacia kempeana</i>	Australia	1.5	hardy to ca. 18 F. Large, spreading, evergreen, multiple-stemmed shrubs or small trees with dark green foliage	
		<i>Acacia papyrocarpa</i>	Australia	1.5	hardy to ca. 15 F. Small, patio-sized desert trees with slender, knive-like and attractive open form. Localized	
	Y New to UA	<i>Acacia ramulosa</i>	Australia	1.5	naturalist observation correlated to nearest weather station #16006 where elevation is 90m and annual	
	Y New to UA	<i>Gondalia montana</i>	South America	1.5		
		<i>angustifolium</i>	North America	1.5		
		<i>Pistacia x 'Red Push'</i>	Europe/Asia	1.5		
	Y New to UA	<i>Schinopsis lorentzii</i>	South America	1.5		
		<i>Senegalia mellifera</i>	Africa	1.5	<i>membrera</i> (subsp. detritens) - hardy to ca. 15 F. Tough, xeric, thicket-forming shrub or small tree. Has long	
		<i>Vachellia aroma</i>	South America	1.5		
		<i>Prosopis alba</i>	South America	1.4	My tree is a volunteer from a neighbor. Fast growing, great shade, easy/deciduous thorn that should be cut	
		<i>Abutilon incanum</i>	North America	1.3	naturalist observation correlated to nearest weather station data (General Ignacio Donnell Garcia)	
		<i>Acacia brachystachya</i>	Australia	1.3	Acacia brachystachya is fully cold and heat tolerant in cultivation in Tucson. It is drought resistant once	
		<i>Acacia cana</i>	Australia	1.3	Acacia cana is fully cold and heat tolerant in Tucson. It is drought tolerant when established. It has a	
		<i>rupestris</i>	Australia	1.3		
		<i>Cupressus arizonica</i>	North America	1.3	Arizona Cypress shows clear signs of heat stress and decline in the extreme heat of the 2020's decade. Very	
		<i>camaldulensis</i>	Australia	1.3		
	Y New to UA	<i>Lithraea molleoides</i>	South America	1.3		
	Y New to UA	<i>Maytenus viscidifolia</i>	South America	1.3		
		<i>Schotia afra</i>	Africa	1.3	hardy to ca. 15 F. Unique, beautiful, tough evergreen trees from very arid habitats in the Kalahari Desert of	
	Y New to UA	<i>torquata</i>	South America	1.3		
		<i>Acacia farnesiana</i>	North America	1.33		
		<i>Acacia stenophylla</i>	Australia	1.3		
		<i>Fraxinus velutina</i>	North America	1.3		
		<i>heterophylla</i> (<i>Acacia</i>	North America	1.3	University of Arizona Campus Arboretum. trees survived severe freeze with some die back resolved	
		<i>microphylla</i>	North America	1.3	hardy to ca. 10 F. Beautiful, durable native tree. Far superior to B. florida as a landscape tree. per Matt	
	Y New to UA	<i>Celtis tala</i>	South America	1.2		
		<i>Larrea divaricata</i>	South America	1.2		
		<i>Senegalia visco</i>	South America	1.2		
		<i>craspedocarpa</i>	Australia	1.0	Acacia craspedocarpa is fully cold and heat tolerant in Tucson. This species is drought tolerant when	
	Y New to UA	<i>Acacia demissa</i>	Australia	1.0		
	Y New to UA	<i>Acacia georginae</i>	Australia	1.0		
		<i>Acacia harpophylla</i>	Australia	1.0	Acacia harpophylla appears to be cold and heat tolerant in Tucson. The single established plant	
		<i>Acacia karoo</i>	Africa	1.0		
	Y New to UA	<i>Acacia murrayana</i>	Australia	1.0	naturalist observation correlated to nearest weather station #46126 where elevation is 290m and annual	
		<i>Acacia retinoides</i>	Australia	1.0		
	Y New to UA	<i>monspessulanum</i>	Europe/Asia	1.0		
	Y New to UA	<i>guebracho-blanco</i>	South America	1.0	hardy to at least 18 F. Distinctive, small to large, upright trees with evergreen crown of leathery, spine-tipped	
		<i>Bauhinia macranthera</i>	Africa	1.0		
		<i>Cercis canadensis</i>	North America	1.0		
		<i>Chilopsis linearis</i>	North America	1.0		
	Y New to UA	<i>woodwardii</i>	Australia	1.0		
		<i>orthocarpa</i>	North America	1.0		
		<i>microphyllum</i>	South America	1.0		
		<i>Havardia mexicana</i>	North America	1.0	hardy to at least 15 F. Outstanding, fast growing, semi-deciduous small tree with a	
		<i>Havardia pallens</i>	North America	1.0	hardy to ca. 20 F. Beautiful small tree with showy flower heads but has wicked sharp paired spines at	
	Y New to UA	<i>tenuispinosum</i>	South America	1.0		
		<i>Lysiloma watsonii</i>	North America	1.0	University of Arizona Campus Arboretum. Severe freeze and die back on main campus in winter 2011	
	Y New to UA	<i>cislatensis</i>	South America	1.0		
		<i>Populus brandegeei</i>	North America	1.0	Campus Arboretum grounds on protected north face of Social Sciences where little damage was experienced	
	Y New to UA	<i>Salix humboltiana</i>	South America	1.0		
		<i>occidentalis</i>	North America	1.0	hardy to ca. 15 F. Potentially large, spreading tree to 30 ft. trees and 20 ft high with a trunk 5 ft in diameter	
		<i>Senegalia wrightii</i>	North America	1.0	Large tree despite being surrounded by impervious pavement. Near Road reflecting heat making the Air	

		<i>Vachellia rigidula</i>	North America	1.0	hardy to ca. 10°F. Beautiful, multiple-stemmed, semi-general shrubs - small tree with many upright branches.
		<i>Vachellia tortilis</i>	Africa	1.0	Stems can have both straight and hooked spines.
		<i>Acacia coriacea</i>	Australia	0.8	Campus Arboretum accession #24288 on north face of
	Y New to UA	<i>Albizia anthelmintica</i>	Africa	0.8	local fire research study, last collected in 2010.
		<i>Bauhinia lunarioides</i>	North America	0.8	Trees at DELPS Yuma Fields suffered significant
		<i>Eucalyptus torquata</i>	Australia	0.8	damage in 2005 & 2007. These are low trees. This seed
		<i>phyllanthoides</i>	North America	0.8	correlated to nearest weather station (Oxnard).
		<i>Prosopis nigra</i>	South America	0.8	
		<i>Acacia pendula</i>	Australia	0.7	
	Y New to UA	<i>australis</i>	Australia	0.7	
		<i>populneus</i>	Australia	0.7	
		<i>Bursera microphylla</i>	North America	0.7	
		<i>Caesalpinia cacalaco</i>	North America	0.7	
		<i>spathulata</i>	Australia	0.7	
	Y New to UA	<i>Juglans australis</i>	South America	0.7	
		<i>Larrea cuneifolia</i>	South America	0.7	
		<i>Lycium fremontii</i>	North America	0.7	
	Y New to UA	<i>Qcotea porphyria</i>	South America	0.7	
		<i>Parkinsonia florida</i>	North America	0.7	
	Y New to UA	<i>africanum</i>	Africa	0.7	hardy to ca. 20°F. Evergreen (freeze-deciduous) large
		<i>now Strombocarpa</i>	North America	0.7	shrubs or small trees to 20 ft high and wide with dense
		<i>Zapoteca formosa</i>	North America	0.7	
		<i>Acacia baileyana</i>	Australia	0.6	
	Y New to UA	<i>Ceiba chodatii</i>	South America	0.6	
	Y New to UA	<i>mistol</i>	South America	0.6	
	Y New to UA	<i>Acacia cyperophylla</i>	Australia	0.5	
	Y New to UA	<i>Acacia excelsa</i>	Australia	0.5	
	Y New to UA	<i>Acacia ligulata</i>	Australia	0.5	
	Y New to UA	<i>Acacia pachyacra</i>	Australia	0.5	(Naturalist observation correlated to nearest weather
		<i>Acacia pruinocarpa</i>	Australia	0.5	station #18114 (Maralinga for precip data) or 18110
	Y New to UA	<i>Acacia rhodophloia</i>	Australia	0.5	(Naturalist observation correlated to nearest weather
		<i>Acacia salicina</i>	South America	0.5	station #15625 where elevation is 402m and annual
		<i>tetragonophylla</i>	Australia	0.5	(Naturalist observation correlated to nearest weather
		<i>Acacia victoriae</i>	Australia	0.5	station #007001 (Yalapa) and 7064 (Murree) where
		<i>palmeri</i>	North America	0.5	(Naturalist observation correlated to nearest weather
	Y New to UA	<i>Eucalyptus diptera</i>	Australia	0.5	station #46043 at 74 elevation where annual
		<i>Parkinsonia aculeata</i>	North America	0.5	(Naturalist observation correlated to nearest weather
		<i>Sapindus saponaria</i>	North America	0.5	station #5008 at 474m where annual precipitation is
		<i>Vallesia glabra</i>	North America	0.5	hardy to ca. 18°F. Upright, deciduous shrubs or small trees with attractive yellow and red
		<i>Laurus nobilis</i>	Europe/Asia	0.4	
	Y New to UA	<i>Acacia adsurgens</i>	Australia	0.3	Annual precipitation ranges from 300 to 700mm.
	Y New to UA	<i>Acacia monticola</i>	Australia	0.3	(Naturalist observation correlated to nearest weather
		<i>Acacia saligna</i>	Australia	0.3	station #2022 where elevation is 280m and annual
		<i>Albizia sinaloensis</i>	North America	0.3	very large-stature tree at the main public library
		<i>Bauhinia carronii</i>	Australia	0.3	building at Scottsdale Civic Center.
	Y New to UA	<i>Brachychiton gregorii</i>	Australia	0.3	
		<i>Celtis pallida</i>	North America	0.3	(Naturalist observation in Balmorhea State Park
		<i>Erythrina bidwillii</i>	Australia	0.3	correlated to nearest weather station in El Paso, Texas
	Y New to UA	<i>Erythrina crista-galli</i>	South America	0.3	
		<i>salmonophila</i>	Australia	0.3	
	Y New to UA	<i>Eucalyptus sargentii</i>	Australia	0.3	
		<i>Eucalyptus vitrix</i>	Australia	0.3	(Naturalist observation in Kunluma, WA correlated to
		<i>Piscidia mollis</i>	North America	0.3	nearest weather station #7080 at 520m where annual
		<i>Populus mexicana</i>	North America	0.3	University of Arizona Campus Arboretum specimen
		<i>Acacia jennerae</i>	Australia	0.3	was damaged in 2011 winter temps of 17C but
		<i>bilocularis</i>	North America	0.3	
		<i>Senegalia caffra</i>	Africa	0.3	
		<i>Senegalia crassifolia</i>	North America	0.3	
	Y New to UA	<i>Acacia citrinoviridis</i>	Australia	0.0	
	Y New to UA	<i>Acacia cowleana</i>	Australia	0.0	
		<i>Acacia gerrardii</i>	Africa	0.0	
	Y New to UA	<i>Acacia grasbyi</i>	Australia	0.0	
	Y New to UA	<i>hamersleyensis</i>	Australia	0.0	
	Y New to UA	<i>Acacia inaequilatera</i>	Australia	0.0	
	Campus	<i>Acacia notabilis</i>	Australia	0.0	
	Y New to UA	<i>Acacia pyrifolia</i>	Australia	0.0	(Naturalist observation correlated to nearest weather
		<i>Acacia sclerosperma</i>	Australia	0.0	station #1176 where elevation is 504m and annual
	Y New to UA	<i>Acacia xiphophylla</i>	Australia	0.0	(Naturalist observation correlated to nearest weather
		<i>Albizia brevifolia</i>	Africa	0.0	station #6025 where elevation is 15m and annual
	Y New to UA	<i>Feuillea hypoleuca</i>	Africa	0.0	(Naturalist observation correlated to nearest weather
		<i>Alluaudia procera</i>	Africa	0.0	station #5098 at 474m where annual precipitation is
		<i>Boswellia sacra</i>	Middle East	0.0	
		<i>alamosana</i>	North America	0.0	(Naturalist observation in Bococo Sonora MX correlated
		<i>Bursera laxiflora</i>	North America	0.0	to nearest weather station (Ciudad Obregon) where
		<i>Coccoloba goldmanii</i>	North America	0.0	(Naturalist observation in Estacion, Son, MX correlated
		<i>mopane</i>	Africa	0.0	to nearest weather station (Ciudad Obregon Airport)
		<i>Condalia globosa</i>	North America	0.0	(Naturalist observation correlated to nearest weather
		<i>Cordia boissieri</i>	North America	0.0	station in El de Monches International Airport where
		<i>Coursetia glandulosa</i>	North America	0.0	
		<i>Diphysa occidentalis</i>	North America	0.0	(Naturalist observation NE of Lost Dutchman State Park
					correlated to nearest weather station at Apache
					(Naturalist observation at Los Mochis, Mexico
					correlated to nearest weather station (local airport).

		<i>Ebenopsis ebano</i>	North America	0.0	(Naturalist observation at Monterrey correlated to nearest weather station / General Mariano Escobedo)
Y New to UA		<i>Eucalyptus salubris</i>	Australia	0.0	
Y New to UA		<i>websteriana</i>	Australia	0.0	
		<i>Faidherbia albida</i>	Africa	0.0	
		<i>Fouquieria burragei</i>	North America	0.0	(Naturalist observation correlated to nearest weather station (weatherspark.com) at Manuel Míasves de
		<i>Fouquieria formosa</i>	North America	0.0	(Naturalist observation (rebutian del valle at 5500ft elevation) correlated to nearest weather station /
		<i>macdougalii</i>	North America	0.0	(Naturalist observation in Mexican (planted in 2023 in cultivation with irrigation) to nearest weather station
		<i>Fouquieria purpusii</i>	North America	0.0	(Naturalist observation at Tehuacan Mexico (between distant weather stations in Puebla and Oaxaca de
		<i>Havardia sonora</i>	North America	0.0	(Naturalist observation from Feb 2023 correlated to weather station data for Ciudad Obregon at
		<i>Jatropha cordata</i>	North America	0.0	
Y New to UA		<i>hermannii</i>	North America	0.0	(Naturalist observation correlated to weather station data through weatherspark.com for Maque, NY where
		<i>Mimosa distachya</i>	North America	0.0	(Naturalist observation correlated to weather station data through weatherspark.com for Aie, AZ where
		<i>Mimosa palmeri</i>	North America	0.0	(Naturalist observation correlated to weather station data through weatherspark.com for Los Mochis where
		<i>sousanum</i>	North America	0.0	(Naturalist observation correlated to weather station data through weatherspark.com for Monterrey, NY
		<i>Parkinsonia africana</i>	Africa	0.0	
		<i>Pistacia lentiscus</i>	Europe/Asia	0.0	
		<i>Prosopis cineraria</i>	Middle East	0.0	
		<i>Prosopis laevigata</i>	North America	0.0	
		<i>Prosopis palmeri</i>	North America	0.0	
		<i>Senegalia berlandieri</i>	North America	0.0	
		<i>Senegalia burkei</i>	Africa	0.0	
Y New to UA		<i>Senegalia galpinii</i>	Africa	0.0	
		<i>Senegalia greggii</i>	North America	0	
Y New to UA		<i>Senegalia nigrescens</i>	Africa	0.0	
		<i>Senna costata</i>	Australia	0.0	(Naturalist observation at Fitzroy Crossing correlated to nearest weather station at #3093 and 2043 where
Y New to UA		<i>occidentale</i>	North America	0.0	
Y New to UA		<i>Tabebuia nodosa</i>	South America	0.0	
Y New to UA		<i>Vachellia eburnea</i>	Europe/Asia	0.0	
Y New to UA		<i>Vachellia stuhlmannii</i>	Africa	0.0	
Y New to UA		<i>zambesiaca</i>	Africa	0.0	AAP 500-1500mm (most parts of the district receive less than 500mm)

[illegible]

INSTRUCTION: The University of Arizona Campus Arboretum is seeking input from horticultural, botanical, conservation and forestry practitioners who have observed tree species growing in cultivation or in their native environments. We are especially interested in refining understanding of performance given annual precipitation as well as both upper and lower temperature thresholds experienced by the plants in natural and cultivated settings. To this end, we invite those with expertise to provide input using the electronic surveys below. Please review the list to determine species familiar to you, and click on the associated survey to provide input. The sheet is organized based on geographic distribution of the species. Each survey takes 1-5 minutes to complete.

This batch derived from original 1142 arboretum taxa + wishlist plants. This batch comprised of plants selected for further consideration based on estimated tolerance to Tmax 110°F Tmin 20°F and less than 500mm average annual precipitation - Includes only Trees or Large Shrubs (>10' tall)

Internal Data	Species	Link	Approx. Geographic Range	GEOGRAPHIC REGIONS CORRESPONDING TO CELL
Y	<i>Acacia gerrardii</i>	Survey	Africa	Mustard (NA/SA) = North America
Y	<i>Acacia karoo</i>	Survey	Africa	Yellow (NA/SA) = South America
Y New to UA	<i>Albizia anthelmintica</i>	Survey	Africa	Blue (AU) = Australia
Y	<i>Albizia brevifolia</i>	Survey	Africa	Red (AF)= Africa
Y New to UA	<i>Albizia harveyi</i> (AKA <i>Feuillea hypoleuca</i>)	Survey	Africa	Green (EU/AS) = Europe and Asia
Y	<i>Alluodia procera</i>	Survey	Africa	
Y	<i>Bauhinia macranthera</i>	Survey	Africa	
Y	<i>Colophospermum mopane</i>	Survey	Africa	
Y	<i>Faidherbia albida</i>	Survey	Africa	
Y	<i>Parkinsonia africana</i>	Survey	Africa	
Y New to UA	<i>Peltophorum africanum</i>	Survey	Africa	
Y	<i>Schotia afra</i>	Survey	Africa	
Y	<i>Senegalia burkei</i>	Survey	Africa	
Y	<i>Senegalia caffra</i>	Survey	Africa	
Y New to UA	<i>Senegalia galpinii</i>	Survey	Africa	
Y	<i>Senegalia mellifera</i>	Survey	Africa	
Y New to UA	<i>Senegalia nigrescens</i>	Survey	Africa	
Y	<i>Vachellia erioloba</i>	Survey	Africa	
Y New to UA	<i>Vachellia haematoxylon</i>	Survey	Africa	
Y New to UA	<i>Vachellia reficiens</i>	Survey	Africa	
Y New to UA	<i>Vachellia stuhlmannii</i>	Survey	Africa	
Y	<i>Vachellia tortilis</i>	Survey	Africa	
Y New to UA	<i>Xanthocercis zambeziaca</i>	Survey	Africa	
Y New to UA	<i>Acacia adsurgens</i>	Survey	Australia	
Y	<i>Acacia aneura</i>	Survey	Australia	
Y	<i>Acacia baileyana</i>	Survey	Australia	
Y	<i>Acacia brachystachya</i>	Survey	Australia	
Y	<i>Acacia cambagei</i>	Survey	Australia	
Y	<i>Acacia cana</i>	Survey	Australia	
Y New to UA	<i>Acacia citrinoviridis</i>	Survey	Australia	
Y	<i>Acacia coriacea</i>	Survey	Australia	
Y New to UA	<i>Acacia cowleana</i>	Survey	Australia	
Y	<i>Acacia craspedocarpa</i>	Survey	Australia	
Y New to UA	<i>Acacia cyperophylla</i>	Survey	Australia	
Y New to UA	<i>Acacia demissa</i>	Survey	Australia	
Y New to UA	<i>Acacia excelsa</i>	Survey	Australia	

Y New to UA	<i>Acacia georginae</i>	Survey	Australia	
Y New to UA	<i>Acacia grasbyi</i>	Survey	Australia	
Y New to UA	<i>Acacia hamersleyensis</i>	Survey	Australia	
Y	<i>Acacia harpophylla</i>	Survey	Australia	
Y New to UA	<i>Acacia inaequilatera</i>	Survey	Australia	
Y New to UA	<i>Acacia ixodes</i>	Survey	Australia	
Y	<i>Acacia jennerae</i>	Survey	Australia	
Y	<i>Acacia kempeana</i>	Survey	Australia	
Y New to UA	<i>Acacia ligulata</i>	Survey	Australia	
Y New to UA	<i>Acacia monticola</i>	Survey	Australia	
Y New to UA	<i>Acacia murrayana</i>	Survey	Australia	
Y New to UA	<i>Acacia notabilis</i>	Survey	Australia	
Main Campus	<i>Acacia notabilis</i>	Survey	Australia	
Y New to UA	<i>Acacia pachyacra</i>	Survey	Australia	
Y	<i>Acacia papyrocarpa</i>	Survey	Australia	
Y	<i>Acacia pendula</i>	Survey	Australia	
Y	<i>Acacia pruinocarpa</i>	Survey	Australia	
Y New to UA	<i>Acacia pyrifolia</i>	Survey	Australia	
Y New to UA	<i>Acacia ramulosa</i>	Survey	Australia	
Y	<i>Acacia retinoides</i>	Survey	Australia	
Y New to UA	<i>Acacia rhodophloia</i>	Survey	Australia	
Y	<i>Acacia saligna</i>	Survey	Australia	
Y	<i>Acacia sclerosperma</i>	Survey	Australia	
Y	<i>Acacia stenophylla</i>	Survey	Australia	
Y	<i>Acacia tetragonophylla</i>	Survey	Australia	
Y	<i>Acacia victoriae</i>	Survey	Australia	
Y New to UA	<i>Acacia xiphophylla</i>	Survey	Australia	
Y	<i>Bauhinia carronii</i>	Survey	Australia	
Y New to UA	<i>Brachychiton australis</i>	Survey	Australia	
Y New to UA	<i>Brachychiton gregarii</i>	Survey	Australia	
Y	<i>Brachychiton populneus</i>	Survey	Australia	
Y	<i>Brachychiton rupestris</i>	Survey	Australia	
Y	<i>Callistemon citrinus</i>	Survey	Australia	
Y	<i>Erythrina bidwillii</i>	Survey	Australia	
Y	<i>Eucalyptus camaldulensis</i>	Survey	Australia	
Y New to UA	<i>Eucalyptus diptera</i>	Survey	Australia	
Y	<i>Eucalyptus salmonophlia</i>	Survey	Australia	
Y New to UA	<i>Eucalyptus salubris</i>	Survey	Australia	
Y New to UA	<i>Eucalyptus sargentii</i>	Survey	Australia	
Y	<i>Eucalyptus spathulata</i>	Survey	Australia	
Y	<i>Eucalyptus torquata</i>	Survey	Australia	
Y	<i>Eucalyptus victrix</i>	Survey	Australia	
Y New to UA	<i>Eucalyptus websteriana</i>	Survey	Australia	
Y New to UA	<i>Eucalyptus woodwardii</i>	Survey	Australia	

Y	<i>Senna costata</i>	Survey	Australia	
Y New to UA	<i>Acer monspessulanum subsp. turcomanicum</i>	Survey	Europe/Asia	
Y	<i>Boswellia sacra</i>	Survey	Middle East	
Y	<i>Cedrus atlantica</i>	Survey	Europe	
Y	<i>Cotinus coggygria</i>	Survey	Europe/Asia	
Y	<i>Cupressus sempervirens</i>	Survey	Europe/Asia	
Y	<i>Laurus nobilis</i>	Survey	Europe/Asia	
Y	<i>Pinus brutia</i>	Survey	Europe/Asia	
Y	<i>Pistacia lentiscus</i>	Survey	Europe/Asia	
Y	<i>Pistacia</i> x 'Red Push'	Survey	Europe/Asia	
y	<i>Prosopis cineraria</i>	Survey	Europe/Asia	
Y New to UA	<i>Vachellia eburnea</i>	Survey	Europe/Asia	
Y	<i>Acacia salicina</i>	Survey	South America	
Y New to UA	<i>Aspidosperma quebracho-blanco</i>	Survey	South America	
Y	<i>Bulnesia retama</i>	Survey	South America	
Y New to UA	<i>Ceiba chodatii</i>	Survey	South America	
Y New to UA	<i>Celtis tala</i>	Survey	South America	
Y New to UA	<i>Condalia montana</i>	Survey	South America	
Y New to UA	<i>Erythrina crista-galli</i>	Survey	South America	
Y New to UA	<i>Juglans australis</i>	Survey	South America	
Y	<i>Larrea cuneifolia</i>	Survey	South America	
Y	<i>Larrea divaricata</i>	Survey	South America	
Y	<i>Libidibia paraguariensis</i>	Survey	South America	
Y New to UA	<i>Lithraea molleoides</i>	Survey	South America	
Y New to UA	<i>Lycium tenuispinosum</i>	Survey	South America	
Y New to UA	<i>Maytenus viscofolia</i>	Survey	South America	
Y New to UA	<i>Myrcianthes cisplatensis</i>	Survey	South America	
Y New to UA	<i>Ocotea porphyria</i>	Survey	South America	
Y	<i>Prosopis alba</i>	Survey	South America	
Y	<i>Prosopis chilensis</i>	Survey	South America	
Y	<i>Prosopis nigra</i>	Survey	South America	
Y New to UA	<i>Salix humboldtiana</i>	Survey	South America	
Y New to UA	<i>Sarcomphalus mistol</i>	Survey	South America	
Y New to UA	<i>Schinopsis lorentzii</i>	Survey	South America	
Y	<i>Senegalia visco</i>	Survey	South America	
Y New to UA	<i>Strombocarpa torquata</i>	Survey	South America	
Y New to UA	<i>Tabebuia nodosa</i>	Survey	South America	
Y	<i>Vachellia aroma</i>	Survey	South America	
Y	<i>Abutilon incanum</i>	Survey	North America	
Y	<i>Acacia willardiana</i> (<i>Mariosousa heterophylla</i>)	Survey	North America	
Y	<i>Albizia sinaloensis</i>	Survey	North America	
Y	<i>Bauhinia lunarioides</i>	Survey	North America	
Y	<i>Bauhinia macranthera</i>	Survey	North America	

Y	<i>Brongniartia alamosana</i>	Survey	North America	
Y	<i>Bursera laxiflora</i>	Survey	North America	
Y	<i>Bursera microphylla</i>	Survey	North America	
Y	<i>Caesalpinia cacalaco</i>	Survey	North America	
Y	<i>Celtis pallida</i>	Survey	North America	
Y	<i>Cercis canadensis</i>	Survey	North America	
Y	<i>Chilopsis linearis</i>	Survey	North America	
Y	<i>Coccoloba goldmanii</i>	Survey	North America	
Y	<i>Condalia globosa</i>	Survey	North America	
Y	<i>Cordia boissieri</i>	Survey	North America	
Y	<i>Cordia sonora</i>	Survey	North America	
Y	<i>Coursetia glandulosa</i>	Survey	North America	
Y	<i>Cupressus arizonica</i>	Survey	North America	
Y	<i>Diphysa occidentalis</i>	Survey	North America	
Y	<i>Ebenopsis ebano</i>	Survey	North America	
Y	<i>Erythrostemon palmeri</i>	Survey	North America	
Y	<i>Eysenhardtia orthocarpa</i>	Survey	North America	
Y	<i>Fouquieria burragei</i>	Survey	North America	
Y	<i>Fouquieria formosa</i>	Survey	North America	
Y	<i>Fouquieria macdougalii</i>	Survey	North America	
Y	<i>Fouquieria purpusii</i>	Survey	North America	
Y	<i>Fraxinus greggii</i>	Survey	North America	
Y	<i>Fraxinus velutina</i>	Survey	North America	
Y	<i>Guaiacum angustifolium</i>	Survey	North America	
Y	<i>Guaiacum microphyllum</i>	Survey	North America	
Y	<i>Havardia mexicana</i>	Survey	North America	
Y	<i>Havardia pallens</i>	Survey	North America	
Y	<i>Havardia sonora</i>	Survey	North America	
Y	<i>Jatropha cordata</i>	Survey	North America	
Y	<i>Koeberlinia spinosa</i>	Survey	North America	
Y	<i>Larrea tridentata</i>	Survey	North America	
Y	<i>Lonchocarpus hermannii</i>	Survey	North America	
Y	<i>Lycium fremontii</i>	Survey	North America	
Y	<i>Lysiloma watsonii</i>	Survey	North America	
Y	<i>Maytenus phyllanthoides</i>	Survey	North America	
Y	<i>Mimosa distachya</i>	Survey	North America	
Y	<i>Mimosa palmeri</i>	Survey	North America	
Y	<i>Myrospermum sousanum</i>	Survey	North America	
Y	<i>Olneya tesota</i>	Survey	North America	
Y	<i>Parkinsonia aculeata</i>	Survey	North America	
Y	<i>Parkinsonia florida</i>	Survey	North America	
Y	<i>Parkinsonia microphylla</i>	Survey	North America	
Y	<i>Parkinsonia praecox</i>	Survey	North America	

Y New to UA	<i>Pinus edulis</i>	Survey	North America	
Y	<i>Piscidia mollis</i>	Survey	North America	
Y	<i>Platanus wrightii</i>	Survey	North America	
Y	<i>Pleradenophora bilocularis</i>	Survey	North America	
Y	<i>Populus brandegeei</i>	Survey	North America	Yellow (NA/SA) = North to South America
Y	<i>Populus mexicana</i>	Survey	North America	Blue (AU) = Australia
Y	<i>Prosopis laevigata</i>	Survey	North America	Red (AF)= Africa
Y	<i>Prosopis palmeri</i>	Survey	North America	Green (EU/AS) = Europe and Asia
Y	<i>Prosopis pubescens</i> now <i>Strombocarpa pubescens</i>	Survey	North America	
Y	<i>Prosopis velutina</i>	Survey	North America	
Y	<i>Sapindus saponaria</i>	Survey	North America	
Y	<i>Senegalia berlandieri</i>	Survey	North America	
Y	<i>Senegalia crassifolia</i>	Survey	North America	
Y	<i>Senegalia occidentalis</i>	Survey	North America	
Y New to UA	<i>Senegalia roemeriana</i>	Survey	North America	
Y	<i>Senegalia wrightii</i>	Survey	North America	
Y New to UA	<i>Sideroxylon occidentale</i>	Survey	North America	
Y	<i>Vachellia constricta</i>	Survey	North America	
Y	<i>Vachellia rigidula</i>	Survey	North America	
Y	<i>Vachellia schaffneri</i>	Survey	North America	
Y	<i>Vallesia glabra</i>	Survey	North America	
Y	<i>Vauquelinia californica</i>	Survey	North America	
Y	<i>Zapoteca formosa</i>	Survey	North America	

188 taxa considered
57 would be new to UA